




**NOTICE OF PROPRIETARY RIGHTS** THIS DOCUMENT CONTAINS CONFIDENTIAL TECHNICAL DATA, INCLUDING TRADE SECRETS, PROPRIETARY TO TIMES MICROWAVE SYSTEMS. DISCLOSURE OF THIS DATA IS EXPRESSLY CONDITIONED UPON YOUR ASSENT THAT ITS USE IS LIMITED TO USE WITHIN YOUR COMPANY ONLY. ANY OTHER USE IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF TIMES MICROWAVE SYSTEMS.

SYM	REVISION DESCRIPTION	DFTM	DATE	APPD	DATE
A	RELEASED FOR PRODUCTION	N. N. N	6/2/14	J. D. B.	6/5/14



CABLE PREP  
HEX SIZE .213  
NOT TO SCALE



**Australian Representatives**  
**ROJONE, PTY LTD.**  
Tel: 02 9829 1555  
E: sales@rojone.com.au  
www.rojone.com.au

- |  |   |   |
|--|---|---|
| <p>1.0 PERFORMANCE</p> <p>1.1 FREQUENCY RANGE: DC-6 GHz</p> <p>1.2 NOMINAL IMPEDANCE: 50 OHMS</p> <p>1.3 DWV: 500 VRMS @ 60 Hz (SEA LEVEL)</p> <p>1.4 TEMPERATURE RANGE: -65°C TO +165°C</p> | <p>2.0 MATERIALS</p> <p>2.1 DIELECTRIC: PTFE</p> <p>2.2 CONTACT: BERYLLIUM COPPER</p> <p>2.3 CRIMP FERRULE: SOFT COPPER</p> <p>2.4 OTHER METAL PARTS: BRASS</p> <p>2.5 HEAT SHRINK: POLYOLEFIN THICK WALL</p> | <p>3.0 FINISHES: SEE TABLE</p> <p>4.0 MECHANICAL</p> <p>4.1 INTERFACE PER MIL-STD-348</p> |
|--|---|---|

BODY	CONTACT
ALBALOY	GOLD/NI

MATERIAL:	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES MACHINED SURFACES FINISH N/A RMS MAX. REMOVE ALL BURRS .005 MAX. BREAK MACHINE CORNERS .005 MAX. FILLET R. TOLERANCES ON DECIMALS .XX ± .03 .XXX ± .005 ANGLES ± 1° FRACTIONS ± 1/32	DFTM. N. N. N	TIMES MICROWAVE SYSTEMS					
		DATE 6/2/14						
USED ON: A	DO NOT SCALE DRAWING	CHKD. J. D. B.	<p><b>TC-200-TF-X</b> TNCF FOR LMR-200 CABLE</p>					
		DATE 6/5/14						
SCALE: N/A	DWG. SIZE A	APPD. J. D. B.	<table border="1"> <tr> <td>SHEET</td> <td>1 of 1</td> <td>SD3190-2884</td> <td>REV</td> <td>A</td> </tr> </table>	SHEET	1 of 1	SD3190-2884	REV	A
SHEET	1 of 1	SD3190-2884		REV	A			
	CODE IDENT 68999	DATE 6/5/14						